


Exhibit 48

Product Photos

20201017_171905.jpg



20201017_172024.jpg



WC2233C

401B



UN 3163

LIQUEFIED GAS, n.o.s.
(CHLORODIFLUOROMETHANE,
CHLOROTETRAFLUOROETHANE,
DIFLUOROETHANE)

CAS# 75-45-6,
CAS# 75-37-6,
CAS# 2837-89-0


401B

NON-FLAMMABLE GAS

CYLINDERS MANUFACTURED BY WATKINS GAS CYLINDER COMPANY, CHICAGO, ILL.

RGAS000343

**Net Wt.
30 Lbs. (13.6 kg)**



**WORTHINGTON
CYLINDERS**
A Worthington Industries Company

401B



**LIQUEFIED GAS, R-401B
(CHLORODIFLUOROMETHANE,
CHLOROTETRAFLUOROETHANE,
DIFLUOROETHANE)**

CAS# 75-45-6,
CAS# 75-37-6,
CAS# 2837-89-0

WARNING!
Liquid and gas under pressure. Vapor reduces oxygen available for breathing, can cause rapid asphyxiation. Inhalation or contact with liquid can result in surface personnel injury or death. May decompose in contact with hot metal surfaces to release toxic, corrosive decomposition products. Contact of liquid with skin or eyes may cause irritation and frostbite. Overheating, pressurizing, or cooling can cause cylinder to burst, resulting in surface personnel injury or death.

- Do not inhale vapors.
- Store and use with adequate ventilation, never in a closed space.
- Avoid contact with skin, eyes or clothing.
- Do not store in direct sunlight or heat above 120°F (50°C).
- Do not store in damp areas.
- Do not drop or subject this cylinder to rough handling.
- Do not tamper with safety relief device or valve.
- Before using, read corresponding Material Safety Data Sheet.

FIRST AID
If inhaled, remove to fresh air. If not breathing, give artificial respiration, preferably using a resuscitator. If breathing is difficult, give oxygen. Avoid attachment. Do not give mouth-to-mouth. If on skin, flush with plenty of water for at least 15 minutes. Call a physician. Flush exposed skin with water (not hot) or use other means to remove skin slowly. Do not use chemical solvents to the skin. After use, no empty cylinder is empty, use properly, leave valve open and dispose of cylinder properly. This sheet must be reprinted, to comply, where possible. ...reprinted

401B
NON-FLAMMABLE GAS

© 2003, Worthington Cylinder Corporation, a Worthington Industries Company

RGAS000344

401B



LIQUEFIED GAS, n.e.s.
(CHLORODIFLUOROMETHANE,
CHLOROTETRAFLUOROETHANE,
DIFLUOROETHANE)

CAS# 75-45-6,
CAS# 75-37-6,
CAS# 2837-89-0

401B

NON-FLAMMABLE GAS

CYLINDER MANUFACTURED BY WORNERSTON CYLINDER COLUMBUS, OHIO/USA

RGAS000345

401B

INSIDE CONTAINER COMPLIES WITH PRESCRIBED SPECIFICATIONS
LE CONTENU DE L'EMBALLAGE EST CONFORME AUX NORMES PRESCRITES
ESTE CILINDRO CUMPLE CON LAS ESPECIFICACIONES REQUERIDAS POR LEY

30 LB. 13.6 kg

NON-RETURNABLE
EMBALLAGE PERDU
CYLINDER DESECHABLE

NON-REFILLABLE
NE PAS REUTILISER
NO RELLENABLE

DO NOT STORE ABOVE 120°F
NE PAS STOCKER A PLUS DE 50°C
NO ALMACENARLO SOBRE 50°C

CYLINDER MANUFACTURED BY WORTHINGTON CYLINDERS

RGAS000346

WORTHINGTON
CYLINDERS
A Worthington Industries Company



ATTENTION!!!
THIS IS A NON-REUSABLE CYLINDER!
IT IS EQUIPPED WITH A NON-REFILLABLE VALVE!
DO NOT REMOVE CYLINDER FROM CARTON!
DO NOT ATTEMPT TO REFILL WITH
COMPRESSED AIR OR ANY OTHER MATERIAL!
DISPOSE OF PROPERLY!



Warning

Liquid and gas under pressure.
Do not spray, heat, or compress.
Avoid inhalation.

Precautionary Statement

See cylinder label for the most current and complete information.
Do not use if label is missing or illegible. Do not use if you have any questions or concerns.
Do not handle, transport, or store in a way that could cause damage to the cylinder or its contents.

First Aid

Asphyxiant. High pressure gas under pressure. Do not touch. Do not breathe. Do not inhale.

High pressure gas under pressure. Do not touch. Do not breathe. Do not inhale.

Asphyxiant. Do not touch. Do not breathe. Do not inhale. Do not use if label is missing or illegible. Do not use if you have any questions or concerns.

Asphyxiant. Do not touch. Do not breathe. Do not inhale. Do not use if label is missing or illegible. Do not use if you have any questions or concerns.

Instructions for Use

See cylinder label for the most current and complete information. Do not use if label is missing or illegible. Do not use if you have any questions or concerns.

Instructions for Use

See cylinder label for the most current and complete information. Do not use if label is missing or illegible. Do not use if you have any questions or concerns.

A-GAS
AMERICA

100% PM 2.5
Magnolia, TX 77054

Phone: 1-800-445-1354

Product has been tested and found to be safe for use in accordance with the instructions on the label.

RGAS000347